

## Figures

Figure 1: A line graph showing the relationship between the number of figures and the number of pages. The x-axis represents the number of figures (0 to 10) and the y-axis represents the number of pages (0 to 10). The data points are as follows:

Number of Figures	Number of Pages
0	0
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10





FIG 1



APP ID=09683635




FIG 3

FIG. 4 is a cross-sectional view of the device 100 in a closed position. The device 100 includes a housing 12, a lid 22, and a locking mechanism 24. The locking mechanism 24 is located on the inner surface of the lid 22 and is configured to engage the housing 12 when the lid 22 is closed. The locking mechanism 24 includes a locking pin 24a and a locking spring 24b. The locking pin 24a is biased by the locking spring 24b to engage the housing 12. The housing 12 includes a locking recess 12a and a locking protrusion 12b. The locking pin 24a is configured to engage the locking recess 12a when the lid 22 is closed. The locking protrusion 12b is configured to engage the locking spring 24b when the lid 22 is closed.




FIG 4




FIG 5

1000 4000 6000 8000 10000 12000 14000 16000 18000 20000 22000 24000 26000 28000 30000 32000 34000 36000 38000 40000 42000 44000 46000 48000 50000 52000 54000 56000 58000 60000 62000 64000 66000 68000 70000 72000 74000 76000 78000 80000 82000 84000 86000 88000 90000 92000 94000 96000 98000 100000




FIG 6